

CONTRAC ALL-WEATHER CAKE

KILLS RATS & MICE

Kills Warfarin Resistant Norway Rats

Norway rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

REGISTRATION NO.: **23662** PEST CONTROL PRODUCTS ACT

COMMERCIAL

WARNING



POISON

GUARANTEE

Bromadiolone.....0.005%

* Contains Denatonium Benzoate

Warning, contains the allergens wheat, lecithin.

Contains malathion at 0.01% and calcium propionate at 0.377% as preservatives.

Notification Change

READ THE LABEL BEFORE USING

(see back panel for additional precautionary statements)

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 4.5 kg (10 lb.)

Manufactured by: Bell Laboratories, Inc., 3699 Kinsman Blvd., Madison, WI 53704 USA

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS AND WILDLIFE. Do not expose treated bait in areas accessible to children, pets, domestic animals and wildlife except when enclosed within a tamper-resistant bait box. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking. Do not place bait in areas

where there is a possibility of contaminating food or feed, or surfaces that come in direct contact with food or feed.

FIRST AID: **If in eyes,** flush with water for 15 minutes. **If on skin,** wash with soap and water. **If swallowed,** give patient one or two glasses of water and INDUCE VOMITING by touching back of throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Contact a physician or Poison Control Centre IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

ENVIRONMENTAL HAZARD: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE: Use bait to control the Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), and House mouse (*Mus musculus*) in and around dwellings, farm buildings, food service establishments (non-food areas), granary bins (empty), processing plants (feed, food, in non-food areas) and storage areas (non-food). **For areas not directly related to food processing:** Use only in non-food or non-feed areas where feed, food, packaging and handling equipment are never opened or exposed. **For areas where feed and food is processed, served or stored:** In meat and food processing plants (processing areas) use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before re-use of the plant (processing areas include storage and service).

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

APPLICATION DIRECTIONS:

Each CONTRAC All-Weather Cake consists of a 454 g slab scored to be broken into four 114 g sticks.

RATS: Break and apply 1 to 4 sticks of CONTRAC All-Weather Cake at intervals of 5 to 10 metres per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: Break each 114 g stick of CONTRAC All-Weather Cake into four 28 g pieces. Place one 28 g piece of CONTRAC All-Weather Cake at 2.5 to 4 metres intervals. Two 28 g pieces may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

RATS/MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of unconsumed bait and dead exposed animals according to DISPOSAL paragraph. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

Rodent Disposal: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the *Pest Control Products Act* to use a control product under unsafe conditions.

121504

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.